

DUFAFLOXACIN 20% ORAL

Composition:

Contains per ml oral solution:
Enrofloxacin 200 mg

Description:

Enrofloxacin is a fluoroquinolone antibiotic with bactericidal activity against both Gram-positive and Gram-negative bacteria as well as *Mycoplasma spp*, *Chlamydia spp*. and *Rickettsia spp*.

Indications:

Gastrointestinal and respiratory infections caused by microorganisms susceptible to enrofloxacin, such as *Campylobacter spp.*, *E. coli*, *Haemophilus spp.*, *Mycoplasma spp.*, *Pasteurella spp.* and *Salmonella spp.*

Contraindications:

Hypersensitivity to quinolones, severe hepatic or renal impairment.

Dosage and administration:

For oral administration in drinking water.

Poultry : 0.5 litre per 2,000 litres of water for 3-5 days (10 mg enrofloxacin per kg body weight).

Shake well before use! Medicated water should be used immediately and refreshed every 24 hours for the duration of the treatment.

Side effects:

Gastrointestinal disturbances.

Precautions and warnings:

It is recommended that the susceptibility of the causative microorganisms is established before treatment is commenced.

Severely sick animals have altered drinking patterns and may need to be medicated parenterally.

Dosage may need to be adjusted to reflect herd or flock water consumption.

Withdrawal times:

Meat and offal: 4 days

Do not use in layers producing eggs for human consumption.

Storage conditions:

Store dark and below 25°C. Do not freeze.

Packing:

1 litre bottles.

