

TOX-BIND ADVANCED

Analytical constituents:

| | | | | | |
|-------------|---------------|-------------|------------|----------------|------------|
| 66.5% | Crude ash | 0.50 %..... | Calcium | 4.7 g/kg | Lysine |
| 7.4 % | Crude protein | 0.60 %..... | Magnesium | 1.4 g/kg | Methionine |
| 1.6 % | Crude fat | 0.50 %..... | Sodium | 3.8 g/kg | Threonine |
| 1.2 % | Crude fibre | 0.20 %..... | Phosphorus | 0.8 g/kg | Tryptophan |

Composition:

Brewer yeast, yeast, brewers grains.

Additives (per kg):

Technological additives:

Binder: 582.3 g Bentonite-montmorillonite (1m558i)

Anti-caking agent: 3.5 g Colloidal silica (E551b)

Sensory additives

15 g Mixture of flavouring compounds (silymarin extract)

Description:

DufaMix Tox-Bind Advanced contains yeast cultures, yeast cell extract, bentonite-montmorillonite, a mixture of flavouring compounds and Silymarin extract. It's a composition that will effectively absorb a wide range of harmful mycotoxins, e.g., aflatoxins, ochratoxins, trichothecenes, deoxynivalenol and zearaleon. Silymarin, a standard plant extract with strong antioxidant activity is an effective agent for liver protection and liver regeneration.

Directions for use:

DufaMix Tox-Bind Advanced is a premixture suitable for incorporation in feed for all species and categories of animals.

The advised rate of inclusion is 1 – 2.5 kg of DufaMix Tox-Bind per tonne in the final feed. This inclusion rate may be adjusted in order to account for seasonal variations in raw feed materials and toxin levels.

Storage conditions:

Store dry, dark and below 25°C. Do not freeze.

Packing:

25 kg sacks.